

London Stock Exchange

MIT401 - Guide to Reference Data Services

Issue 13

25 March 2020



Contents

| | |
|-------------------|----------|
| Disclaimer | 4 |
|-------------------|----------|

| | |
|-------------------------|----------|
| 1.0 Introduction | 5 |
|-------------------------|----------|

| | |
|----------------------|----|
| 1.1 Purpose | 5 |
| 1.2 Readership | 5 |
| 1.3 Document Series | 5 |
| 1.4 Document History | 6 |
| 1.5 Enquiries | 13 |

| | |
|-----------------------------------|-----------|
| 2.0 Reference Data Service | 14 |
|-----------------------------------|-----------|

| | |
|----------------------------------------------|----|
| 2.1 Calendar and Service hours | 14 |
| 2.2 Access to the service | 14 |
| 2.3 Availability Model | 15 |
| 2.4 Service features | 15 |
| 2.5 Intra-day changes | 16 |
| 2.6 Daily Delta Files | 17 |
| 2.7 Instrument File Record Layout | 18 |
| 2.8 Calendar File Record Layout | 29 |
| 2.9 Post Trade Parameter File Record layout | 29 |
| 2.10 Trade Type File Record Layout | 31 |
| 2.11 Trading Parameters File Record Layout | 32 |
| 2.12 Price Tick File Record Layout | 34 |
| 2.13 Session Parameters File Record Layout | 35 |
| 2.14 Participant File Record Layout | 36 |
| 2.15 Ex-Marker Status Record Layout | 36 |
| 2.16 Market Maker Registration Record Layout | 37 |
| 2.17 RFQ Enabled Record Layout | 37 |
| 2.18 Values For Trading Session | 37 |
| 2.19 MD5 Checksum files | 39 |

| | |
|----------------------------------------------------------|-----------|
| 3.0 Guide to Secure File Transfer Protocol (SFTP) | 39 |
|----------------------------------------------------------|-----------|

| | |
|-----------------------|----|
| 3.1 Introduction | 39 |
| 3.2 Service Overview | 39 |
| 3.3 Mandatory Testing | 39 |
| 3.4 Enablement | 40 |
| 3.5 Connectivity | 40 |
| 3.6 Automation | 43 |

Disclaimer

London Stock Exchange has taken reasonable efforts to ensure that the information contained in this publication is correct at the time of going to press, but shall not be liable for decisions made in reliance on it. London Stock Exchange will endeavour to provide notice to customers of changes being made to this document, but this notice cannot be guaranteed. Therefore, please note that this publication may be updated at any time. The information contained in this publication and any other publications referred to herein are for guidance purposes only.

1.0 Introduction

1.1 Purpose

The purpose of this document is to provide an overview of the reference data services available on the Millennium Exchange platform.

1.2 Readership

This document outlines the reference data services available on Millennium Exchange.

When read in conjunction with the message specifications it is intended that the document provide all of the details for London Stock Exchange customers to develop to the reference data services.

This document is particularly relevant to trading and technical staff within the Exchange's member firms, information vendors and other market participants interested in receiving London Stock Exchange reference data.

1.3 Document Series

This document is part of series of documents providing a holistic view of full trading and information services available from London Stock Exchange post the migration to Millennium Exchange.

The current series of documents are set out below:

- MIT201 - Guide to New Trading System
- MIT202 – Trading Gateway (FIX 5.0) Specification
- MIT203 – Native Interface Message Specification
- MIT204 – Post Trade Gateway (FIX 5.0) Specification
- MIT205 – Drop Copy Gateway (FIX 5.0) Specification
- MIT301 - Guide to Market Data Services
- MIT303 – Level 2-MITCH Message Specification
- MIT304 - Regulatory News Service Specification

- **MIT401 - Reference Data Service Specification (this document)**

- MIT501 – Guide to the Customer Testing Services
- MIT502 – Guide to Application Certification
- MIT503 – Certification Report

- MIT304 - Regulatory News Service Specification
- MIT601 – Guide to Trading Services Disaster Recovery
- MIT701 – Guide to Sponsored Access
- MIT801 – Reject Codes

This series principally covers non-regulatory information. It does not override or supersede the Rules of the London Stock Exchange, the AIM Rules or Admission and Disclosure Standards and is intended to be read in conjunction with these Rules documents and the Millennium Exchange Parameters document.

1.4 Document History

This document has been through the following iterations:

| Issue | Date | Description |
|-------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.0 | 1 February 2010 | First issue of this document published via the Exchange's website and distributed to customers. |
| 2.0 | 29 February 2010 | Updated to reflect some content and format changes |
| 3.0 | 5 May 2010 | Updated to further reflect content and delivery mechanism changes |
| 4.0 | 11 June 2010 | Updated with information on intra-day reference data changes and enhancements to some file content. |
| 5.0 | 19 July 2010 | Updated with further information on field content. The following field has been removed from the Instrument File: <ul style="list-style-type: none"> ▪ Expiry Source |
| 6.0 | 15 September 2010 | Updated to include guidance on accessing Secure File Transfer Protocol (SFTP) services, and define in more detail delivery and format of files. Delete Orders at EOD field removed. |
| 6.1 | 11 October 2010 | Updated to include the SFTP and FTP IP and port details. |

| | | |
|------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7.0 | 3 December 2010 | Seventh issue of this document published via the Exchange's website and distributed to customers. |
| 7.1 | 19 January 2011 | Updated to rectify error in a field length in the Instrument reference data file. |
| 8.0 | 23 May 2011 | Updated to reflect minor changes highlighted. |
| 9.0 | 15 December 2011 | Updated to support product enhancements being delivered as part of Functional Release Q1 2012 |
| 10.0 | 26 February 2013 | Updated to clarify content of field in the Ex-Marker file. |
| 10.1 | 22 March 2013 | Amended to reflect the latest Millennium enhancements. |
| 10.1 | 5 April 2013 | Update to Section 2.10 – Allow Named Orders - ENUM 1 changed to 2. |
| 11.0 | 5 July 2013 | Amended to reflect the latest Millennium enhancements in section 2.16 |
| 11.1 | 26 July 2013 | Further amendments to reflect the latest Millennium enhancements. |
| 11.2 | 14 August 2013 | Amended contact details to sections 2.4 and 4.4. Change references for issue 11.1 also included |
| 11.4 | 22 October 2013 | Added clarity around Quote Type description in section 2.10 and Duration to Auction in section 2.12 |
| 11.5 | 12 June 2014 | Amended section 2.16 to include index codes for SETSQX-RT Market Structure Changes |
| 11.6 | 31 October 2014 | Amended to reflect rebranding of ITCH to MITCH |
| 11.7 | 21 January 2015 | <p>Section 2.6 “Instrument file record layout” has been amended to support Cross order functionality, to remove references to FIX-FAST and to rename the ITCH Market Data Group to MITCH .</p> <ul style="list-style-type: none"> • 1 field renamed to <ul style="list-style-type: none"> ○ MITCH Market Data Group/AppID |

| | | |
|------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <ul style="list-style-type: none"> • 3 fields removed <ul style="list-style-type: none"> ○ FIX-FAST Level 1 AppID ○ FIX-FAST Level 2 MBP AppID ○ FIX-FAST Level 2 MBO AppID • 4 fields added <ul style="list-style-type: none"> ○ Cross Ord Bid Ask Spread % ○ Minimum BTF Quantity ○ Floor Price ○ Ceiling Price |
| 11.8 | 16 June 2015 | <p>The following changes have been made to aid clarity and to support the changes in Release 8.7:</p> <p>2.6 - Added new field Minimum Quantity at Touch. Improved description for EMS.</p> <p>2.16 – Improved/corrected trading cycle definition description for MSETS-OFIN OFLV, SETS-IOB, Standard Off Book and Stand Off Book MFD; Added 2 new trading cycles for SETSqx with No Market Maker; Added Session Index for Regular Trading 3 and Periodic Auction 3 in SETS-IDA Cycle Definition.</p> |
| 11.9 | 21 October 2015 | <p>The following changes have been made to aid clarity and to support the changes in Release 8.7:</p> <p>2.10 – Amended the Quote Type field description to clarify that the Business Parameters document will determine whether an instrument supports quotes</p> <p>2.16 – Updated description for SETS-IDA cycle definition to include the new SETS L1 Only Intraday Auctions.</p> |

| | | |
|-------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11.10 | 10 May 2016 | <p>The following changes have been made to aid clarity and to support the changes for the reference data server migration:</p> <p>2.2 – Updated the IP addresses and login credentials for the new reference data service</p> <p>2.3 – Added Availability Model</p> <p>2.19 – Added MD5 checksum files</p> <p>2.20 – Added a note about the parallel reference data service</p> <p>3.4, 3.5 – Clarified Enablement and Connectivity behaviour for the new reference data service</p> |
| 11.11 | 16 August 2016 | <p>The following changes have been made to aid clarity and to support the changes in Release 9.1:</p> <p>2.7 – Multicast Channel ID and Load ID fields will no longer be populated. Added Mifir Identifier, Mifir Subclass, Ref Price Allowance (%), RFQ Price Deviation % and Min RFQ Quantity fields. Renamed field Minimum BTF Quantity to Minimum BTF Quantity (*EMS). Renamed column 'MITCH Market Data Group/AppID' to 'Market Data Group'</p> <p>2.11 – Added RFQ Type field</p> <p>2.16 – Added 'RFQ Enabled' field</p> |
| | 09 November 2016 | <p>The following changes have been made to aid clarity and to support the changes in Release 9.1:</p> <p>2.4, 2.6 – Added new entries for new 'RFQ Enabled' file</p> <p>2.7 – Clarified Minimum BTF Quantity description. The field will now have been already multiplied by EMS. Renamed 'Min RFQ Quantity (*EMS)' to 'Min RFQ Quantity' since the value will have already been multiplied by EMS.</p> <p>2.16 – Removed 'RFQ Enabled' field</p> <p>2.17 – Added layout for the new 'RFQ Enabled' file</p> |

| | | |
|-------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11.12 | 26 April 2017 | <p>The following changes have been added to aid clarity, and also to clarify that off-book trade reporting will be moved to TRADEcho in June 2017:</p> <p>2.7 – Blanks will now be populated in the following columns for instruments which will only be available in TRADEcho: 'Min Reserve Order Value', 'Max Spread Percentage', 'Max Spread Floor', 'Market Data Group', 'Post Trade Parameter ID', 'Trading Parameter ID'.</p> <p>Note that the information in the following columns is redundant for instruments which will only be available in TRADEcho, and will be blanked in a future release: 'Clearing Type', 'Exchange Market Size', 'Minimum Order Size', 'Lot Size'.</p> <p>2.9 – Blanks will now be populated in the 'Price Validation Ratio' and 'Late trade Time limit' columns. Renamed columns 'Post Trade Parameter ID' to 'MIT Post Trade Parameter ID', and 'Trade Reporting Model' to 'MIT Trade Reporting Model'. Rows for Post Trade Parameters PT_S and PT_Z will be removed.</p> <p>2.10 – All rows which don't have Short Code 'AI', 'AC' or 'PC' will be removed.</p> <p>2.20 – Removed section</p> <p>3.4, 3.5 – Clarified behaviour</p> |
|-------|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| | | |
|---------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11.13 | 23 June 2017 | <p>The following changes have been made to aid clarity and to support the changes in the Release 9.2 (MiFID II compliant) upgrade:</p> <p>2.7 – Replaced 'Min Reserve Order Value' with 'Pre-Trade LIS Value (Currency)'. Renamed 'ADT' to 'ADT (Currency)'. Replaced 'Min RFQ Quantity' with 'Minimum RFQ Value (Currency)'. The existing field 'Minimum BTF Quantity' will now be populated blank. Added the following new fields to the end of the file: 'MIC', 'Liquid', 'ADT (EUR)', 'ADNT', 'NTW Allowed', 'Price Tick Table ID', 'FISN', 'Max Order Value (Currency)', 'Max BTF Value (Currency)', 'Max Cross Value (Currency)', 'Max RFQ Value (Currency)', 'Notional Currency', 'Price Notation', 'Denominated Par Value'.</p> <p>2.10 – Clarified that 'Execution Venue' will now be populated blank.</p> <p>2.11 – Added the following new fields to the end of the file: 'Price Collar Percentage', 'Auction Price Collar Percentage', 'Sponsored User Price Collar Percentage', 'Sponsored User Auction Price Collar Percentage'.</p> |
| 11.14 | 28 July 2017 | <p>The following changes have been made to aid clarity and to support the changes in the Release 9.2 (MiFID II compliant) upgrade:</p> <p>2.7 – Clarified 'Liquid' and 'FISN' field descriptions. Clarified 'Pre-Trade LIS Value (Currency)' and 'Denominated Par Value' data types.</p> <p>2.11 – Clarified 'Price Tick Table ID' field description.</p> |
| 11.15 | 01 August 2017 | <p>The following changes have been made to aid clarity and to support the changes in the Release 9.2 (MiFID II compliant) upgrade:</p> <p>2.7 – Added a new value 'N/A' and changed the length of the 'NTW Allowed' field.</p> |
| 11.16 | 7 November 2017 | <p>2.7 – Possible values of 'Mifir identifier' and 'Mifir Subclass' fields have been added</p> <p>2.7 – Clarified the data format of 'Warrant Expiry' field</p> |
| 11.16.1 | 24 August 2018 | <p>2.18 – Section is updated to reflect the market structure changes for IOB trading service with effect from Monday 3 September 2018 in Production:</p> <p>New 'IOB-L1' and 'IOB-L1-EARLYCLOSE' trading</p> |

| | | |
|-------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>cycles are added to 'SETS-IDA' section</p> <p>2.18 – New 'IOB-SC-L1' and 'IOB-SC-L1- Early Close' trading cycles are added for future use.</p> <p>2.18 - The following updates have been done for cleanup purposes (no functional change):</p> <ul style="list-style-type: none"> • The table format is changed; the new column 'Trading cycle' is added. • 'SETS-IOB' section- 'SETS-IOB', 'SETS-IOB- Early close' are removed, missing 'IOB' and 'IOB Early Close' are added (however, they will be decommissioned on 3, Sep) • 'SETS-EDSP' section - 'NE OB NO-CAC' , 'NE OB CAC' are added; the following are removed: SETS; SETS Early close; MSETS SETS; MSETS SETS – Early close; MSETS SETS NO CAC; MSETS SETS NO CAC Early close • 'SETS-IDA' section – 'SETS L1 EDSP' is removed • "Old Session Index" column is removed • "New Session Index" column is renamed to "Session Index" column <p>2.4.1 – Clarification added regarding End of Line (EOL) and Character encoding Standard format</p> |
| 11.17 | 28 August 2018 | <p>2.11 – Added New Parameter – Auto RFQ Min No of Quotes</p> <p>2.18 – 'IOB' and 'IOB Early Close' are removed from SETS-IOB' section</p> |
| 12.0 | 5 June 2019 | <p>2.7 – Update existing "RFQ Price Deviation %" to "RFQ Quote and Execution Price Deviation Threshold %"</p> <p>2.7- Include new Instrument Parameter "RFQ Tick Structure ID"</p> <p>2.7 – Include new Instrument Parameter "Min Auction RFQ Quote Value"</p> |
| 13 | 25 March 2020 | <p>2.7 – Exchange Market Size – data type was corrected</p> <p>2.7 - RFQ Tick Structure ID- description was amended for more clarity</p> <p>2.4.2 – 'Number' data format was added</p> <p>2.7 – Data format for 'Exchange market Size' was corrected (no change to the file)</p> |

Within this document, where amendments have been made to the previous issue, these changes will be identified by highlighting the changes in **Red**.

1.5 Enquiries

Please contact either the Technical Account Management Team or your Technical Account Manager if you have any questions about the Millennium Exchange services outlined in this document. Client Technology Services (UK) can be contacted at:

Telephone: +44 (0)20 7797 3939

Email: londontam@lseg.com

2.0 Reference Data Service

2.1 Calendar and Service hours

Market Reference Data files are available on published trading days. This data will be available starting from 04:00 a.m. local market time.

2.2 Access to the service

The Market Reference Data files can be downloaded via both File Transfer Protocol (FTP) and Secure File Transfer Protocol (SFTP) service. Customers can access the FTP and SFTP server via existing Extranet, CMC and Hosting connections. It will not be possible to access the service via Internet connection.

Clients are expected to provide the source IP addresses of the FTP or SFTP request, along with the login credentials detailed below.

In addition to files that include the full reference data content, deltas from the previous day (adds, modifications and deletes) will be featured, and this will include an additional column to indicate the nature of the change - please refer to section 2.5 of this document. Intra-day changes files will be published as required – please refer to section 2.4 of this document. Customers are recommended to regularly refresh their reference data set through regular downloads of the full reference files.

The **Production Primary** service can be accessed at the following location:

| | IP ADDRESS | PORT |
|------|--------------|-------|
| SFTP | 194.169.8.42 | 58101 |
| FTP | 194.169.8.42 | 21 |

The **Production Secondary** service can be accessed at the following location:

| | IP ADDRESS | PORT |
|------|--------------|-------|
| SFTP | 194.169.8.43 | 58101 |
| FTP | 194.169.8.43 | 21 |

The **CDS** service can be accessed at the following location:

| | IP ADDRESS | PORT |
|------|---------------|-------|
| SFTP | 194.169.8.157 | 51101 |
| FTP | 194.169.8.157 | 21 |

The following credentials should be used to access all the services:

| USERNAME | PASSWORD |
|-----------------|-------------|
| LSE_FTP_refdata | lsepublic82 |

2.3 Availability Model

The reference data servers will operate on a hot-hot configuration at our Primary Data Centre (PDC) and Secondary Data Centre (SDC). As reference data is readily available at both sites, clients can choose whether they wish to retrieve the reference data from PDC and/or SDC. Clients can be simultaneously connected to both PDC and SDC.

2.4 Service features

The service provides a number of separate full market reference data files needed to provide all the necessary data for the London market on Millennium Exchange.

| TYPE | FILE NAME |
|----------------------------|--------------------------------|
| Instrument | YYYYMMDD_XLON_Instrument |
| Calendar | YYYYMMDD_XLON_Calendar |
| Post Trade Parameter | YYYYMMDD_XLON_PostTrade |
| Trade Type | YYYYMMDD_XLON_TradeType |
| Trading Parameter | YYYYMMDD_XLON_Trading |
| Price Tick | YYYYMMDD_XLON_PriceTick |
| Session Parameter | YYYYMMDD_XLON_Session |
| Participant | YYYYMMDD_XLON_Participant |
| Ex-Marker | YYYYMMDD_XLON_ExMarker |
| Market Maker Registrations | YYYYMMDD_XLON_MMRRegistrations |
| RFQ Enabled | YYYYMMDD_XLON_RFQenabled |

In addition to the daily full market reference data files, a daily delta file and intra-day changes files will be published.

2.4.1. Data layout

The files are created in accordance with the following specifications:

| | |
|---------------------------------------------|---------------|
| File format | Csv |
| Fields delimiter | ; (semicolon) |
| Decimal symbol | . (point) |
| Digit grouping symbol (thousands separator) | none |

| | |
|-----------------------------|----------|
| Date Fields format | yyyymmdd |
| End of line (EOL) | \r\n |
| Character encoding Standard | ISO-8859 |

The field lengths identified in the record layout below are maximum lengths. As the data is delimited, fields can be shorter than the maximum length defined.

All files will contain a header for each field.

Note: The Exchange may amend these values at anytime following one week's prior written notice. Any changes will be communicated via Service Announcement.

2.4.2. Key to Field Type

| | |
|---------------|---------------------------------------------------------------------------------------------------------|
| STRING | An alphanumeric field |
| ENUM | A look-up value against a table of options |
| F64 | Floating point 64-bit number encoded as ASCII |
| I32 | 32-bit Integer number encoded as ASCII |
| Number (X, Y) | A numeric field X – total number of digits Y – number of digits to the right of the decimal point |

2.5 Intra-day changes

An intra-day change will be published via the production of a Changes file for each of the impacted data sets outlined in Section 2.3. Each file will be identical in format to the original daily file with the exception of an additional field indicating if the change is an add (A), update (U) or delete (D). A Changes file can be identified by the addition of '_Changes_Timestamp' to the original filename. The timestamp will be in format: HHMMSS.

The following items are anticipated to require republication on a frequent basis and result in the production of a changes file intra-day:

- Market Maker Registrations, Withdrawals and Re-instatements - YYYMMDD_XLON_MMRRegistrations_Changes
- Bid Status - YYYMMDD_XLON_Instrument_Changes
- Ex-Marker Status - YYYMMDD_XLON_ExMarker_Changes

With the exception of Market Maker Registrations all intra-day publications of reference data will be notified to the market via an announcement confirming which files have been republished.

In certain circumstances it may be necessary for the Exchange to publish other intraday changes to reference data, beyond the scope of the three areas outlined above. In these situations the same process will be followed with notification issued to the market confirming the change and the republished files.

All directly connected clients will receive notifications of reference data changes between the hours of 04:00 and 18:00hrs. Should a client not wish to receive this notification they should contact the Exchange to be removed from the mailing group. Clients can also request for additional email addresses to be added to the notification mailing group via the contact details provided in section 1.5 above.

2.6 Daily Delta Files

On a daily basis, a delta file will be published in parallel with the full daily reference file. Deltas from the previous day (adds, modifications and deletes) will be featured, and this will include an additional column to indicate the nature of the change

The daily delta files will be published for each reference data file with the following naming format:

- Instrument – YYYYMMDD_XLON_Instrument_delta
- Calendar – YYYYMMDD_XLON_Calendar_delta
- Post Trade Parameter – YYYYMMDD_XLON_PostTrade_delta
- Trade Type – YYYYMMDD_XLON_TradeType_delta
- Trading Parameter – YYYYMMDD_XLON_Trading_delta
- Price Tick – YYYYMMDD_XLON_PriceTick_delta
- Session Parameter – YYYYMMDD_XLON_Session_delta
- Participant – YYYYMMDD_XLON_Participant_delta
- Ex Marker – YYYYMMDD_XLON_ExMarker_delta
- Market Maker Registrations – YYYYMMDD_XLON_MMRegistrations_delta
- RFQ Enabled - YYYYMMDD_XLON_RFQenabled_delta

Delta files will be published as blank if there are no changes from the previous day's complete reference data file.

2.7 Instrument File Record Layout

The following sections provide details on instrument data available within the service.

| Field | Type (Length) | Description |
|-------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Instrument ID | STRING (20) | Instrument ID, unique identifier across the system. |
| Calendar ID | STRING (30) | Unique key used to link the instrument to the market calendar to be used. The details of the calendar are maintained in the Calendar file. |
| Segment Code | STRING (4) | The code identifying the segment. |
| Post Trade Parameter ID | STRING (30) | Unique key used to link the instrument to the Post Trade Parameters to be used. These details are contained in the Post Trade Parameters table. This field will be blank for instruments which will only be available in TRADEcho. |
| Trading Parameter ID | STRING (30) | Unique key used to link the instrument to the Trading Parameters to be used. These details are contained in the Trading Parameters table. This field will be blank for instruments which will only be available in TRADEcho. |
| ISIN Code | STRING (12) | The International Security Identification Number (ISIN). This will be in line with ISO 6166. |
| Deletion Date | STRING (8) | Date on which the instrument will be deleted. Format yyyyymmdd. This field may be blank. |
| First Trading Date | STRING (8) | Instrument's First Trading Date. Format yyyyymmdd. |
| Instrument Status | ENUM | Whether the instrument is active for trading, suspended from trading, halted for trading or not available for trading (inactive). Possible values: |

| Field | Type (Length) | Description | | | | | | | | | | |
|-----------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|---|--------------------|---|----------------|---|----------|---|------|
| | | <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Active</td> </tr> <tr> <td>1</td> <td>Suspended</td> </tr> <tr> <td>2</td> <td>Inactive</td> </tr> <tr> <td>3</td> <td>Halt</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | 0 | Active | 1 | Suspended | 2 | Inactive | 3 | Halt |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | | | |
| 0 | Active | | | | | | | | | | | |
| 1 | Suspended | | | | | | | | | | | |
| 2 | Inactive | | | | | | | | | | | |
| 3 | Halt | | | | | | | | | | | |
| Clearing Type | ENUM | <p>Indicates whether the instrument is cleared or not.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td><i>Not Cleared</i></td> </tr> <tr> <td>1</td> <td><i>Cleared</i></td> </tr> </tbody> </table> <p>For instruments that will only be available in TRADEcho, the value should be ignored.</p> | <i>Value</i> | <i>Meaning</i> | 0 | <i>Not Cleared</i> | 1 | <i>Cleared</i> | | | | |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | | | |
| 0 | <i>Not Cleared</i> | | | | | | | | | | | |
| 1 | <i>Cleared</i> | | | | | | | | | | | |
| Exchange Market Size | Number (12,0) | <p>The Exchange Market Size (EMS) is set to show the minimum size a market maker must quote in an individual security for all executable and firm quotes. This value may also be used in conjunction with a multiplier to determine other parameters.</p> <p>For instruments that will only be available in TRADEcho, the value should be ignored.</p> | | | | | | | | | | |
| Pre-Trade LIS Value (Currency) | I32 | The minimum consideration value for hidden and BTF Orders. The pre-trade LIS threshold of the instrument will be applicable in the instrument's trading currency. | | | | | | | | | | |
| Minimum Order Size | F64 | <p>Minimum order size allowed for that instrument.</p> <p>For instruments that will only be available in TRADEcho, the value should be ignored.</p> | | | | | | | | | | |
| Last Trading Day | STRING (8) | Last Trading Day of the instrument. Format yyyyymmdd. <u>This can also be blank.</u> | | | | | | | | | | |
| Lot Size | F64 | <p>This field defines the size increment of an order entered by a participant. Orders may be entered only in multiples of the Order Lot Size for a particular instrument ID.</p> <p>For instruments that will only be available in TRADEcho, the value should be ignored.</p> | | | | | | | | | | |



| Field | Type (Length) | Description |
|---------------|------------------|-------------------------------------------------|
| Security Type | STRING (2) | Provides more granular groupings of instruments |

| Field | Type (Length) | Description |
|-------|------------------|--------------------------------------|
| | | AI AUTOMATED INPUT FACILITY NOTIFICN |
| | | AL ALLOTMENT LETTERS |
| | | BD BONDS |
| | | BG BULLDOGS |
| | | BO BOND |
| | | CF CLOSED FUNDS |
| | | CN CONVERTIBLE |
| | | CP COMMERCIAL PAPER |
| | | CW COVERED WARRANTS |
| | | DB Debenture |
| | | DE UK Equity |
| | | DR DEPOSITORY RECEIPTS |
| | | EW EQUITY WARRANTS |
| | | FB FOREIGN GOVERNMENT BONDS |
| | | FC FINANCIAL CERTIFICATES |
| | | FL FULLY PAID LETTER |
| | | FR FLOATING RATE |
| | | FS FOREIGN SHARES |
| | | FT FOREIGN UNIT TRUSTS |
| | | FU FUND UNITS |
| | | FX FIX RATE |
| | | GT GILTS |
| | | GW GILT WARRANTS |
| | | IE International Equity |
| | | IP INVESTMENT PRODUCTS |
| | | IT ITALIAN EQUITY |
| | | KR KRUGER RAND GROUP |
| | | LC LEVERAGE PRODUCTS BULL |
| | | LE LEVERAGE PRODUCTS EXOTIC |
| | | LP LEVERAGE PRODUCTS BEAR |
| | | LS LOAN STOCK |

| Field | Type (Length) | Description |
|-------|------------------|----------------------------------------------|
| | | MC MULTI COUPON |
| | | ML MEDIUM TERM LOANS |
| | | NA NEWS ANNOUNCEMENT |
| | | NL NIL PAID LETTER |
| | | OC ONE COUPON |
| | | OS Provisional JSE Ordinary Share |
| | | PC PRIMARY CAPITAL CERTIFICATES |
| | | PL PARTLY PAID LETTER |
| | | PN PORTFOLIO NOTIFICATION |
| | | PR PREFERENCE SHARES |
| | | PS PREFERENCES SHARE |
| | | PU PACKAGE UNITS |
| | | RG RIGHTS |
| | | RT RIGHTS |
| | | RV REVERSE |
| | | SC STEP COUPON |
| | | SH SHARE |
| | | SP STRUCTURED PRODUCTS |
| | | SU STAPLED UNIT |
| | | TA TRADABLE DURING AUCTION |
| | | TC TRADABLE COMMODITIES |
| | | TF TRADABLE FUND |
| | | TR TRADABLE IN REGULATED SEGMENT |
| | | UT UNIT TRUST |
| | | WA WARRANTS |
| | | WC LEVERAGE PRODUCTS COVERED WARRANT CALL |
| | | WP LEVERAGE PRODUCTS COVERED WARRANT PUT |
| | | WR WARRANTS |
| | | ZC ZERO COUPON BONDS |
| | | ZP ZERO COUPON COMMERCIAL PAPER |

| Field | Type (Length) | Description | | | | | | |
|--------------------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|---|---------------------|---|------------------------|
| TIDM | STRING (4) | The mnemonic code is allocated by the Exchange and used to identify a tradable instrument. | | | | | | |
| Description | STRING (30) | Populated with the short name of the instrument | | | | | | |
| SEDOL | STRING (7) | This field is assigned by the Exchange to uniquely identify a tradable instrument or fund. | | | | | | |
| ADT (Currency) | F64 | Defines the average daily turnover of the instrument specified in the instruments trading currency. | | | | | | |
| Currency | STRING (4) | This field contains the currency in which prices for a tradable instrument must be expressed. A list of all codes is contained in ISO 4217 - Codes for the representation of currencies and funds, except that, for SEAQ compatibility, GBX has been retained. | | | | | | |
| Bid Status | ENUM | The field is used to indicate whether a tradable instrument is currently in a take-over situation. Possible values: <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Take-over situation</td> </tr> <tr> <td>1</td> <td>No take-over situation</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | 0 | Take-over situation | 1 | No take-over situation |
| <i>Value</i> | <i>Meaning</i> | | | | | | | |
| 0 | Take-over situation | | | | | | | |
| 1 | No take-over situation | | | | | | | |
| DOL Indicator | ENUM | Indicates whether a tradable instrument is included in the Daily Official List This field can have the following values: <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Included in DOL</td> </tr> <tr> <td>N</td> <td>Not included in DOL</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | Y | Included in DOL | N | Not included in DOL |
| <i>Value</i> | <i>Meaning</i> | | | | | | | |
| Y | Included in DOL | | | | | | | |
| N | Not included in DOL | | | | | | | |
| DOL Section Number | STRING (4) | This field indicates the section of the DOL to which a tradable instrument belongs. | | | | | | |

| Field | Type (Length) | Description |
|-----------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issuer Code | STRING (6) | A code used to identify the issuer of a tradable instrument. |
| Issuer Name | STRING (255) | The full name of the issuer of a tradable instrument. |
| Normal Market Size | I10 | Normal Market Size will now become the MiFID defined threshold that is used on an EU wide basis. NMS will not be controlled by the Exchange and will be set at an EU level. |
| Ratio | STRING (8) | This is a free format field used to provide the ratio of Warrants to the underlying. |
| Settlement Type | STRING (8) | This is a free format field which holds an indicator showing what the Warrant is settled for on expiry. |
| Standard Market Size | I10 | Standard Market Size is the MiFID average order size threshold for firms conducting in-house business (internalisation). Order sizes above the SMS do not need the offer prices to be published. SMS will not be controlled by the Exchange but will be set at an EU level. |
| Instrument Name | STRING (40) | The description of a tradable instrument. This is commonly known as the 'Long Name'. |
| DOL Symbol | STRING (36) | This field contains 12, 3-byte codes, each identifying a specific symbol used in the formatting of the DOL. These codes are not in any specific order. Embedded blank codes may exist within a list of genuine codes |
| Unit of Quotation | I10 | The unit of quotation for an asset. |
| Max Spread Floor | F64 | This field defines the maximum spread allowed based on a monetary value. This field will be blank for instruments which will only be available in TRADEcho. |
| Max Spread Percentage | F64 | This field defines the maximum spread allowed based on a percentage value. The max spread floor value is used when a greater spread can be achieved by using the spread floor. This field will be blank for instruments which will only be available in TRADEcho. |
| Country of Register | STRING (2) | This specifies the country of Register for a specific tradable instrument. This will be in line with ISO 3166 and can also feature the following values: |

| Field | Type (Length) | Description |
|----------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | 'ZZ' or 'ZY' - Multi Currency and Bearer Instruments 'ZZ' - Unknown Country of Register Instruments 'DI' - Depository Interest Instruments |
| Warrant Strike Price | STRING (8) | This field will provide the price at which the Warrant can be exercised. |
| Warrant Expiry | STRING (8) | This is the date (YYYYMMDD) at which a Warrant expires. |
| Sector | STRING (4) | The Sector identifies a division of the market within a Segment. |
| Multicast Channel ID | I32 | Will be null. |
| Warrant Strike Currency | STRING (3) | This field contains the currency in which the Warrant Strike Price is expressed. |
| Warrant Type | STRING (30) | This field will provide the type of Warrant |
| Warrant Style | STRING (30) | This field will provide the exercise style of Warrant |
| Load ID | I32 | Will be null. |
| Market Data Group | STRING (1) | Level 2-MITCH Market Data Channel to which this instrument is assigned. This field will be blank for instruments which will only be available in TRADEcho. |
| Cross Ord Bid Ask Spread % | STRING (13) | For a BTF Order, the price must be within: visible best bid - a configurable percentage AND visible best offer + a configurable percentage. |
| Minimum BTF Quantity | STRING (0) | Will be null. |
| Floor Price | STRING (30) | The floor price is the lowest price an instrument can reach before an expiry is triggered. |
| Ceiling Price | STRING (30) | The ceiling price is the highest price an instrument can reach before an expiry is triggered. |
| Minimum Quantity At | F64 | Minimum order size on entry allowed for that instrument to set a revised Best Bid/offer (BBO). |

| Field | Type (Length) | Description |
|-------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Touch | | |
| Mifir Identifier | STRING (4) | Mifir Identifier for the type of instrument SHRS - Shares ETFS – ETFs DPRS – Depositary receipts OTHR – Other equity-like financial instruments CRFT – Certificates ETCS - Exchange-traded-commodities ETNS - Exchange-traded notes SDRV – Securitised derivatives BOND - Bonds SFPS – Structured Finance Products (SFPs) |
| Mifir Subclass | STRING (4) | Mifir Subclass of instrument COMM – Commodity CRDT - Credit CRPB – Corporate bond CURR - Currency CVDB – Covered Bond CVTB – Convertible Bond EQU -Equity EUSB – Sovereign Bond INTR –Interest Rate OEPB – Other Public Bond OTHR –Other |
| Ref Price Allowance (%) | F64 | Defines the allowance to be applied to the reference price, which is LTP/Previous Close, to validate cross orders |
| RFQ Quote and Execution Price Deviation Threshold (%) | F64 | Defines the percentage deviation allowed from bid/ask prices, LTP or previous close price of the normal book when accepting quotes and quote responses for RFQs. The bid ask prices of the quotes submitted should be validated against the (bid/ask prices of the normal book) ± (bid/ask prices of the normal book × RFQ price deviation %). |
| Minimum RFQ Value | F64 | Defines the minimum value allowed for a RFQ, or a quote as a response to a RFQ. |

| Field | Type (Length) | Description | | | | | | | | |
|----------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|------|-----------------------|------|----------|------|-----------------------------|
| (Currency) | | | | | | | | | | |
| MIC | STRING (4) | <p>Execution Venue MIC Code.</p> <p>Will be populated N/A for ODTT and TEST segments. For other segments, the following values will be populated.</p> <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>XLON</td> <td>LONDON STOCK EXCHANGE</td> </tr> <tr> <td>AIMX</td> <td>AIM MTF</td> </tr> <tr> <td>XLOM</td> <td>LONDON STOCK EXCHANGE - MTF</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | XLON | LONDON STOCK EXCHANGE | AIMX | AIM MTF | XLOM | LONDON STOCK EXCHANGE - MTF |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | |
| XLON | LONDON STOCK EXCHANGE | | | | | | | | | |
| AIMX | AIM MTF | | | | | | | | | |
| XLOM | LONDON STOCK EXCHANGE - MTF | | | | | | | | | |
| Liquid | STRING (1) | <p>Indicates whether the instrument is liquid or illiquid. Possible values are:</p> <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Liquid</td> </tr> <tr> <td>N</td> <td>Illiquid</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | Y | Liquid | N | Illiquid | | |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | |
| Y | Liquid | | | | | | | | | |
| N | Illiquid | | | | | | | | | |
| ADT (EUR) | F64 | Defines the average daily turnover of the instrument specified in Euros. | | | | | | | | |
| ADNT | F64 | Defines the average daily number of transactions for the instrument. | | | | | | | | |
| NTW Allowed | STRING (3) | <p>Defines if Cross Orders and Negotiated off-book trades are enabled or disabled for the instrument.</p> <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>Y</td> <td>Enabled</td> </tr> <tr> <td>N</td> <td>Disabled</td> </tr> <tr> <td>N/A</td> <td>Not applicable</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | Y | Enabled | N | Disabled | N/A | Not applicable |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | |
| Y | Enabled | | | | | | | | | |
| N | Disabled | | | | | | | | | |
| N/A | Not applicable | | | | | | | | | |
| Price Tick Table ID | STRING (30) | Price tick table identifier for the instrument. | | | | | | | | |
| FISN | STRING (35) | Financial Instrument Short Name for the instrument. Will be blank in the R9.2 test environment. | | | | | | | | |
| Max Order Value (Currency) | F64 | Defines the maximum order value allowed for the instrument. | | | | | | | | |
| Max BTF Value | F64 | Defines the maximum value allowed for BTF orders. | | | | | | | | |

| Field | Type (Length) | Description |
|-------------------------------------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (Currency) | | |
| Max Cross Value (Currency) | F64 | Defines the maximum value allowed for Cross orders. |
| Max RFQ Value (Currency) | F64 | Defines the maximum value allowed for RFQs and quotes which are sent in response to the RFQ. |
| Notional Currency | STRING (3) | Defines the currency of the Notional Amount. Only populated for non-equity instruments. |
| Price Notation | STRING (4) | Indicates whether the price is expressed in monetary value, a percentage or yield. MONE will be populated for equity like instruments and PERC will be populated for bond instruments. |
| Denominated Par Value | F64 | Used to specify Minimum Denomination of a bond. |
| RFQ Tick Structure ID | STRING (30) | Defines the tick size for RFQ. If it is empty, order book's Price Tick Table ID is applied. |
| Min Auction RFQ Quote Value (Currency) | F64 | Defines the minimum value allowed for quotes in response to an auction RFQ. If the RFQ's value is less than the value set in this parameter, then the quote value is not validated against the parameter. The value will be in the trading currency of the instrument |

2.8 Calendar File Record Layout

The following sections provide details on calendar reference data available within the reference data service.

| Field | Type (Length) | Description | | | | | | |
|-----------------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|---|----|---|-----|
| Calendar ID | STRING (30) | Unique code used to identify the calendar. This code is used to link the calendar to the instrument. | | | | | | |
| Calendar Date | STRING (8) | Calendar Date, format yyymmdd. | | | | | | |
| Description | STRING (30) | Name used to identify the calendar | | | | | | |
| Early Closing | ENUM | Whether the calendar allows early closing or not. Possible values: <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | 0 | No | 1 | Yes |
| <i>Value</i> | <i>Meaning</i> | | | | | | | |
| 0 | No | | | | | | | |
| 1 | Yes | | | | | | | |
| Trading Allowed | ENUM | Whether Trading is allowed on this day. Possible values: <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | 0 | No | 1 | Yes |
| <i>Value</i> | <i>Meaning</i> | | | | | | | |
| 0 | No | | | | | | | |
| 1 | Yes | | | | | | | |

2.9 Post Trade Parameter File Record layout

The following sections provide details on post trade parameter available within the reference data service.

| Field | Type (Length) | Description |
|-----------------------------|------------------|--------------------------------------------------------------------------------|
| MIT Post Trade Parameter ID | STRING (30) | Unique key used to link the Post Trade Parameters to files |
| Trade Type Table ID | STRING (30) | Unique key used to link the Post Trade Parameters file to the Trade Type file. |

| Field | Type (Length) | Description | | | | | | | | | | | | |
|---------------------------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|---|----------|---|---------------------------|---|----------------------|---|--------------------------|---|------|
| Settlement Cycle | I32 | The number of business days for standard settlement | | | | | | | | | | | | |
| CCP Internaliser | ENUM | <p>Indicates whether instrument is available for SETS Internalisation or not.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Disabled</td> </tr> <tr> <td>1</td> <td>Enabled (but not for LSE)</td> </tr> <tr> <td>2</td> <td>SETS Internalisation</td> </tr> </tbody> </table> <p>Please note this service is optional. Customers wishing to use SETS internalisation need to opt into to the service. Please see MIT 201 for more details.</p> | <i>Value</i> | <i>Meaning</i> | 0 | Disabled | 1 | Enabled (but not for LSE) | 2 | SETS Internalisation | | | | |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | | | | | |
| 0 | Disabled | | | | | | | | | | | | | |
| 1 | Enabled (but not for LSE) | | | | | | | | | | | | | |
| 2 | SETS Internalisation | | | | | | | | | | | | | |
| MIT Trade Reporting Model | ENUM | <p>Trade reporting model enabled for the instrument.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>All</td> </tr> <tr> <td>2</td> <td>Single sided</td> </tr> <tr> <td>3</td> <td>Dual sided - Alleged</td> </tr> <tr> <td>4</td> <td>Dual sided – Independent</td> </tr> <tr> <td>5</td> <td>None</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | 1 | All | 2 | Single sided | 3 | Dual sided - Alleged | 4 | Dual sided – Independent | 5 | None |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | | | | | |
| 1 | All | | | | | | | | | | | | | |
| 2 | Single sided | | | | | | | | | | | | | |
| 3 | Dual sided - Alleged | | | | | | | | | | | | | |
| 4 | Dual sided – Independent | | | | | | | | | | | | | |
| 5 | None | | | | | | | | | | | | | |
| Price Validation Ratio | F64 | Will be populated blank. | | | | | | | | | | | | |
| Late trade Time limit | I32 | Will be populated blank.. | | | | | | | | | | | | |

2.10 Trade Type File Record Layout

The following sections provide details on trade type data available within the reference data service.

| Field | Type (Length) | Description | | | | | | | | |
|------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------|---|----------------|---|-----------------------|---|-----------------|
| Trade Type Table ID | STRING (30) | Unique key used to link the Trade Type to files | | | | | | | | |
| Short Code | STRING (4) | Short code of the trade type | | | | | | | | |
| Fix Value | I32 | Corresponding Fix value of the short code | | | | | | | | |
| Publication Type | ENUM | Type of the trade publication applied to the instrument Possible values: <table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>0</td><td>Do not publish</td></tr><tr><td>1</td><td>Immediate publication</td></tr><tr><td>2</td><td>Delay Requested</td></tr></tbody></table> | Value | Meaning | 0 | Do not publish | 1 | Immediate publication | 2 | Delay Requested |
| Value | Meaning | | | | | | | | | |
| 0 | Do not publish | | | | | | | | | |
| 1 | Immediate publication | | | | | | | | | |
| 2 | Delay Requested | | | | | | | | | |
| Execution Venue | STRING | Will be blank. | | | | | | | | |

2.11 Trading Parameters File Record Layout

The following sections provide details on trading parameters available within the reference data service.

| Field | Type (Length) | Description | | | | | | |
|----------------------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------|---|----------|---|---------|
| Trading Parameters ID | STRING (30) | Unique identifier for the Trading Parameter that links the data in the file to other reference data files | | | | | | |
| Price Tick Table ID | STRING (30) | Will be blank. | | | | | | |
| Session Parameter Table ID | STRING (30) | Unique identifier that links this data to the Session Parameter file. | | | | | | |
| Allow Named Orders | ENUM | Indicates whether named orders are enabled <table border="1"> <thead> <tr> <th>Value</th> <th>Meaning</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Disabled</td> </tr> <tr> <td>2</td> <td>Enabled</td> </tr> </tbody> </table> | Value | Meaning | 0 | Disabled | 2 | Enabled |
| Value | Meaning | | | | | | | |
| 0 | Disabled | | | | | | | |
| 2 | Enabled | | | | | | | |
| Maximum Random Duration | I32 | Maximum random time in seconds. | | | | | | |
| Maximum Order Duration | I32 | Maximum time an order can stay on the Orderbook for GTC orders. When the maximum order duration is set to any value other than 0, GTC orders are rejected and GFD is allowed. | | | | | | |
| Min Quote Size EMS | I32 | This will always be 100% of Exchange Market Size. | | | | | | |
| Minimum Auction Volume EMS | F64 | This determines the minimum volume allowed before an uncrossing takes place where the proposed uncrossing price is outside of price monitoring values after all possible extensions. The percentage is based on the instruments Exchange Market Size | | | | | | |
| Quote Type | ENUM | Type of quote available in the market. Firm quotes do not interact with orders on the Order book. Possible values: | | | | | | |

| Field | Type (Length) | Description | | | | | | | | |
|---------------------------------|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|---|-----------|---|------------|---|------------------|
| | | <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No Quotes</td> </tr> <tr> <td>1</td> <td>Firm Quote</td> </tr> <tr> <td>2</td> <td>Executable Quote</td> </tr> </tbody> </table> <p>Note: Please refer to the Market Maker Quote Type in the sector tab of the Business Parameters document to determine whether an instrument supports quotes. This field should be ignored for instruments that do not support quotes.</p> | <i>Value</i> | <i>Meaning</i> | 0 | No Quotes | 1 | Firm Quote | 2 | Executable Quote |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | |
| 0 | No Quotes | | | | | | | | | |
| 1 | Firm Quote | | | | | | | | | |
| 2 | Executable Quote | | | | | | | | | |
| Allow Stop Orders | ENUM | <p>Indicates whether Stop Orders are enabled.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Disabled</td> </tr> <tr> <td>1</td> <td>Enabled</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | 0 | Disabled | 1 | Enabled | | |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | |
| 0 | Disabled | | | | | | | | | |
| 1 | Enabled | | | | | | | | | |
| Minimum Disclosed Size EMS | F64 | This relates to the iceberg peak refresh percentage | | | | | | | | |
| AESP Auction Duration | I32 | AESP auction duration in minutes. | | | | | | | | |
| RFQ Type | ENUM | <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>None</td> </tr> <tr> <td>2</td> <td>Private</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | 0 | None | 2 | Private | | |
| <i>Value</i> | <i>Meaning</i> | | | | | | | | | |
| 0 | None | | | | | | | | | |
| 2 | Private | | | | | | | | | |
| Price Collar Percentage | F64 | Defines the spread between the dynamic reference price and the price collar in terms of the percentage of the dynamic reference price. | | | | | | | | |
| Auction Price Collar Percentage | F64 | Defines the spread between the dynamic reference price and the price collar in terms of the percentage of the dynamic reference price; applicable during auction sessions. | | | | | | | | |

| Field | Type (Length) | Description |
|------------------------------------------------|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sponsored User Price Collar Percentage | F64 | Defines the spread between the dynamic reference price and the price collar in terms of the percentage of the dynamic reference price; applicable for Sponsored users. |
| Sponsored User Auction Price Collar Percentage | F64 | Defines the spread between the dynamic reference price and the price collar in terms of the percentage of the dynamic reference price; applicable in auctions for Sponsored users. |
| Auto RFQ Min No of Quotes | F64 | Defines the minimum number of quotes that needs to be live for an Auto RFQ in order for execution to take place |

2.12 Price Tick File Record Layout

The following sections provide details on price tick data available within the reference data service.

| Field | Type (Length) | Description |
|---------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------|
| Price Tick Table ID | STRING (30) | Unique identifier for the Price Tick that links the data in the file to other reference data files |
| Decimals | I32 | Number of decimals supported by the Tick Structure. |
| Description | STRING (100) | Name used to identify the Price Tick |
| Max Value | F64 | Upper price band value for that tick size. |
| Min Value | F64 | Lower price band value for that tick size. |
| Tick Value | F64 | The code to identify the valid format in which prices can be entered/displayed. The price must be a multiple of this Tick Size. |

2.13 Session Parameters File Record Layout

The following sections provide details on session parameters available within the reference data service. Only session parameters where one or more field is populated will be referenced in the Session Parameter file.

| Field | Type (Length) | Description | | | | | | |
|-------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|---|----|---|-----|
| Session Parameter Table ID | STRING (30) | Unique identifier for the Session Parameter that links the data in the file to other reference data files | | | | | | |
| Trading Session | ENUM | Indicates as to which session the parameters are applicable. Please see section 2.16 for full list of values. | | | | | | |
| Duration to Auction | I32 | Duration to Auction in seconds | | | | | | |
| Dynamic Circuit Breaker | F64 | Percentage value for the Dynamic Circuit Breaker. | | | | | | |
| Market Order Extension | I32 | Number of Market Order Extensions | | | | | | |
| Market Order Extension Duration | I32 | Market order extension duration in seconds. | | | | | | |
| Minimum Volume Check | ENUM | Whether the minimum order volume check is applied during an auction Possible values: <table border="1"> <thead> <tr> <th><i>Value</i></th> <th><i>Meaning</i></th> </tr> </thead> <tbody> <tr> <td>0</td> <td>No</td> </tr> <tr> <td>1</td> <td>Yes</td> </tr> </tbody> </table> | <i>Value</i> | <i>Meaning</i> | 0 | No | 1 | Yes |
| <i>Value</i> | <i>Meaning</i> | | | | | | | |
| 0 | No | | | | | | | |
| 1 | Yes | | | | | | | |
| Price Monitoring Extension | I32 | Number of Price Monitoring Extensions | | | | | | |
| Price Monitoring Extension Duration | I32 | Duration of Price monitoring extension in seconds. | | | | | | |
| Static Circuit Breaker | F64 | Percentage value for the Static Circuit Breaker. | | | | | | |

2.14 Participant File Record Layout

The following sections provide details on participants available within the reference data service.

| Field | Type (Length) | Description |
|-----------------|---------------|----------------------------------------------------|
| Member ID | STRING (11) | Unique code identifying the Member Firm. |
| Member Mnemonic | STRING (4) | A code that identifies the Member Firm. |
| Member Name | STRING (100) | This field holds the full name of the Member Firm. |

2.15 Ex-Marker Status Record Layout

The following sections provide details on ex-marker status information for an instrument.

| Field | Type (Length) | Description |
|----------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Instrument ID | STRING (20) | Instrument ID, identifies the instrument |
| Ex-Marker Code | STRING (2) | The value of an Ex-Marker pertaining to a tradable instrument. It Indicates whether the instrument is trade cum or ex (dividend, coupon etc.) |
| Ex-Marker End Date | STRING (8) | This is the last day a particular Ex-Marker set on a tradable instrument is valid for. Format yyyyymmdd |
| Ex-Marker Start Date | STRING (8) | This is the date from which a particular Ex-Marker set on a tradable instrument is valid. Format yyyyymmdd |

2.16 Market Maker Registration Record Layout

The following sections provide details on market makers registered in instrument.

| Field | Type (Length) | Description |
|---------------|------------------|------------------------------------------|
| Member ID | STRING (11) | Unique code identifying the Member Firm. |
| Instrument ID | STRING (20) | Instrument ID, identifies the instrument |

2.17 RFQ Enabled Record Layout

| Field | Type (Length) | Description |
|---------------|------------------|--------------------------------------------------------------------------------------------------|
| Instrument ID | STRING (20) | Instrument ID of an instrument for which a Market Maker is eligible to receive private RFQs for. |
| Firm ID | STRING (11) | Unique code of a Member Firm who is eligible to receive named private RFQs. |

2.18 Values For Trading Session

| Cycle Definition | Trading Cycle | Session | Session Index |
|------------------|-----------------------------------------------------------------------------------|-------------------------|----------------------------------------------|
| SETS-EDSP | NE OB NO-CAC NE OB NO-CAC - Early close NE OB CAC NE OB CAC- Early close | Pre-Trading | 217 |
| | | Opening Auction Call | 218 |
| | | Regular Trading 1 | 219 |
| | | EDSP Auction Call | 220 |
| | | Regular Trading 2 | 221 |
| | | Closing Auction Call | 222 |
| | | Post Close | 224 |
| | | Re-Opening Auction Call | 225 |
| | | Resume Auction Call | 226 |
| | | Closing Price Cross | 227 |
| | | Halt | 228 |
| | | Halt and Close | 229 |
| | | Pause | 230 |
| | | MSETS-OFIN OFLV | NE OB EOD ONLY NE OB EOD ONLY Early close |
| Regular Trading | 185 | | |
| Post Close | 187 | | |
| Halt | 188 | | |
| Pause | 189 | | |

| | | | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----|
| ETS-IOB | ODTT ODTT Early close | Pre-Trading | 191 |
| | | Opening Auction Call | 192 |
| | | Regular Trading | 193 |
| | | Closing Auction Call | 194 |
| | | Post Close | 196 |
| | | Re-Opening Auction Call | 197 |
| | | Resume Auction Call | 198 |
| | | Closing Price Cross | 199 |
| | | Halt | 200 |
| | | Halt and Close | 201 |
| | | Pause | 202 |
| SETS-IDA | SETSQX-RT SETSQX-RT Early close SETSQX-NOMM SETSQX-NOMM Early close SETS-L1 SETS-L1- Early close IOB-L1 IOB-L1- Early close IOB-SC-L1 IOB-SC-L1- Early Close Note: IOB-SC-L1 will be introduced in due course | Pre-Trading | 287 |
| | | Opening Auction Call | 288 |
| | | Regular Trading | 289 |
| | | EDSP Auction Call | 290 |
| | | Periodic Auction Call 1 | 291 |
| | | Regular Trading 1 | 292 |
| | | Periodic Auction Call 2 | 293 |
| | | Regular Trading 2 | 294 |
| | | Periodic Auction Call 3 | 315 |
| | | Regular Trading 3 | 316 |
| | | Closing Auction Call | 295 |
| | | Post Close | 297 |
| | | Re-Opening Auction Call | 298 |
| | | Resume Auction call | 299 |
| | | Halt | 300 |
| | | Halt and Close | 301 |
| | | Pause | 302 |
| | | Closing Price Cross | 303 |
| Standard Off Book | Standard Off Book Standard Off Book Early Close | Pre-Trade Reporting | 178 |
| | | Trade Reporting | 15 |
| | | Post Close | 22 |
| | | Halt | 16 |
| Standard Off Book MFD | Standard Off Book EQS ITR MFD Standard Off Book EQS ITR MFD Early Close Standard Off Book MFD Standard Off Book MFD Early Close | Grace Period | 177 |
| | | Trade Reporting 1 | 17 |
| | | Trade Reporting 2 | 18 |
| | | Trade Reporting 3 | 19 |
| | | Halt | 20 |
| | | Post Close | 21 |
| Quote Book | QB1 – QB26 QB1 – QB26 Early close | Pre-Trading | 232 |
| | | Pre Mandatory | 233 |
| | | Mandatory | 234 |
| | | Post Mandatory | 235 |
| | | Halt | 236 |

2.19 MD5 Checksum files

Each reference data file will have a corresponding MD5 checksum file for clients to use for their information systems to ensure data integrity. This is an optional feature for clients to use.

3.0 Guide to Secure File Transfer Protocol (SFTP)

3.1 Introduction

The introduction of Millennium Exchange has created a new model for downloading reference data.

The existing model of a PUSH method where the market data system disseminated the reference data on a daily basis will change to a new service model for customers to PULL the relevant reference data files in real time.

3.2 Service Overview

The new service is designed to allow customers to download the reference data files in a secure and flexible manner.

Market Reference Data files are available on published trading days. This data will be available starting from 04:00 a.m. local market time.

In addition to files that include the full reference data content, deltas from the previous day (adds, modifications and deletes) will be featured. Deltas will include an additional column to indicate the nature of the change please refer to section 2.5 of MIT 401 – Guide to Reference Data Services. Intra-day changes files will be published as required – please refer to section 2.4 of MIT 401 – Guide to Reference Data Services. Customers are recommended to regularly refresh their reference data set through regular downloads of the full reference files.

Previous days' files will be moved into individual date stamped folders to keep the current day clear of older files.

3.3 Mandatory Testing

There are no testing requirements for customers to certify against the new reference data service.

3.4 Enablement

Access to the reference data service can be requested via the contact details provided in section 1.5 above.

At the time of the request, users will have their SAP given permission for access. Note: Any IP address from the SAP Subnet will be allowed access to the service.

A single username and password, detailed in section 2.2, can be used to login. The Username and Password will be valid for both test and production in order to limit administration.

3.5 Connectivity

Connectivity to reference data services is provided via the Exchange's network – Extranex, CMC, hosting. Customers should target the addresses detailed in section 2.2 to enable file transmission:

Below is a series of screen shots to guide customers in the process of SFTP for file download from Windows and UNIX.

3.5.1 UNIX Commands

```
>sftp -oPort=51101 username@IP
```

```
Connecting to xxx.xxx.xxx.xxx...
```

```
The authenticity of host '[xxx.xxx.xxx.xxx]:51101 ([xxx.xxx.xxx.xxx]:51101)' can't be established.
```

```
RSA key fingerprint is 4b:6d:c4:0f:16:54:8d:94:d8:a4:0d:d0:bf:da:ce:a1.
```

```
Are you sure you want to continue connecting (yes/no)? Yes
```

```
Warning: Permanently added '[xxx.xxx.xxx.xxx]:51101' (RSA) to the list of known hosts.
```

```
username@IP's password: (Enter Password)
```

```
sftp> dir
```

```
20100727_XLON_Calendar          20100727_XLON_ExMarker          20100727_XLON_MMRegistration
```


```
20100727_XLON_Participant       20100727_XLON_PostTrade         20100727_XLON_PriceTick
```

```
sftp> quit
```

3.5.2 Windows Commands:

Step1.


SFTP to the address provided above with provided username



```
C:\WINDOWS\system32\cmd.exe
C:\>psftp -P 51101 client_username@194.169.8.155
```

Step2.

Insert Password as required



```
C:\WINDOWS\system32\cmd.exe - psftp -P 51101 client_username@194.169.8.155
C:\>psftp -P 51101 client_username@194.169.8.155
Using username "client_username".
client_username@194.169.8.155's password:
```

Step 3.

Once logged in you can perform a Directory list

```

C:\WINDOWS\system32\cmd.exe - psftp -P 51101 client_username@194.169.8.155
psftp> ls
Listing directory /
drwxr-xr-x  2 0 0      4096 Aug  9 10:30 .
drwxr-xr-x  2 0 0      4096 Aug  9 10:30 ..
-rw-r--r--  1 0 0      26219 Aug  9 10:30 20100727_XLON_Calendar
-rw-r--r--  1 0 0       3219 Aug  9 10:30 20100727_XLON_ExMarker
-rw-r--r--  1 0 0        159 Aug  9 10:30 20100727_XLON_MMRegistration
-rw-r--r--  1 0 0      2422 Aug  9 10:30 20100727_XLON_Participant
-rw-r--r--  1 0 0      1499 Aug  9 10:30 20100727_XLON_PostTrade
-rw-r--r--  1 0 0      3154 Aug  9 10:30 20100727_XLON_PriceTick
-rw-r--r--  1 0 0       485 Aug  9 10:30 20100727_XLON_Session
-rw-r--r--  1 0 0       494 Aug  9 10:30 20100727_XLON_TradeType
-rw-r--r--  1 0 0      2093 Aug  9 10:30 20100727_XLON_Trading
-rw-r--r--  1 0 0     26052 Aug  9 10:30 20100728_XLON_Calendar
-rw-r--r--  1 0 0      3414 Aug  9 10:30 20100728_XLON_ExMarker
-rw-r--r--  1 0 0       193 Aug  9 10:30 20100728_XLON_MMRegistration
-rw-r--r--  1 0 0     4099 Aug  9 10:30 20100728_XLON_Participant
-rw-r--r--  1 0 0      1499 Aug  9 10:30 20100728_XLON_PostTrade
-rw-r--r--  1 0 0      3154 Aug  9 10:30 20100728_XLON_PriceTick
-rw-r--r--  1 0 0       485 Aug  9 10:30 20100728_XLON_Session
-rw-r--r--  1 0 0       494 Aug  9 10:30 20100728_XLON_TradeType
-rw-r--r--  1 0 0      2093 Aug  9 10:30 20100728_XLON_Trading
-rw-r--r--  1 0 0     25885 Aug  9 10:30 20100729_XLON_Calendar
-rw-r--r--  1 0 0      2670 Aug  9 10:30 20100805_XLON_Trading
-rw-r--r--  1 0 0     24549 Aug  9 10:30 20100806_XLON_Calendar
-rw-r--r--  1 0 0      2853 Aug  9 10:30 20100806_XLON_ExMarker
-rw-r--r--  1 0 0       160 Aug  9 10:30 20100806_XLON_MMRegistration
-rw-r--r--  1 0 0      4267 Aug  9 10:30 20100806_XLON_Participant
-rw-r--r--  1 0 0      1499 Aug  9 10:30 20100806_XLON_PostTrade
-rw-r--r--  1 0 0      3102 Aug  9 10:30 20100806_XLON_PriceTick
-rw-r--r--  1 0 0       485 Aug  9 10:30 20100806_XLON_Session
-rw-r--r--  1 0 0       494 Aug  9 10:30 20100806_XLON_TradeType
-rw-r--r--  1 0 0      2670 Aug  9 10:30 20100806_XLON_Trading
-rw-r--r--  1 0 0      2825 Aug  9 10:30 20100809_XLON_ExMarker

```

Step 4.

Get the required files individually

```

C:\WINDOWS\system32\cmd.exe - psftp -P 51101 client_username@194.169.8.155
psftp> get 20100806_XLON_ExMarker
remote:/20100806_XLON_ExMarker => local:20100806_XLON_ExMarker
psftp>

```

Step 5

Get * for all files for the current day

```
cx C:\WINDOWS\system32\CMD.exe - psftp -P 51101 client_username@194.169.8.155
psftp> mget *
remote:/20100811_XLON_PostTrade => local:20100811_XLON_PostTrade
remote:/20100806_XLON_PostTrade => local:20100806_XLON_PostTrade
remote:/20100728_XLON_ExMarker => local:20100728_XLON_ExMarker
remote:/20100806_XLON_Calendar => local:20100806_XLON_Calendar
remote:/20100809_XLON_MMRegistration => local:20100809_XLON_MMRegistration
remote:/20100728_XLON_Calendar => local:20100728_XLON_Calendar
remote:/20100806_XLON_TradeType => local:20100806_XLON_TradeType
remote:/20100809_XLON_PostTrade => local:20100809_XLON_PostTrade
remote:/20100727_XLON_Trading => local:20100727_XLON_Trading
remote:/20100809_XLON_Session => local:20100809_XLON_Session
remote:/20100728_XLON_Participant => local:20100728_XLON_Participant
remote:/20100728_XLON_PostTrade => local:20100728_XLON_PostTrade
remote:/20100727_XLON_MMRegistration => local:20100727_XLON_MMRegistration
remote:/20100806_XLON_Trading => local:20100806_XLON_Trading
remote:/20100806_XLON_MMRegistration => local:20100806_XLON_MMRegistration
remote:/20100727_XLON_Participant => local:20100727_XLON_Participant
remote:/20100811_XLON_Trading => local:20100811_XLON_Trading
remote:/20100811_XLON_PriceTick => local:20100811_XLON_PriceTick
remote:/20100811_XLON_Instrument => local:20100811_XLON_Instrument
remote:/20100727_XLON_PriceTick => local:20100727_XLON_PriceTick
remote:/20100727_XLON_TradeType => local:20100727_XLON_TradeType
remote:/20100806_XLON_PriceTick => local:20100806_XLON_PriceTick
remote:/20100809_XLON_ExMarker => local:20100809_XLON_ExMarker
remote:/20100811_XLON_Session => local:20100811_XLON_Session
remote:/20100811_XLON_ExMarker => local:20100811_XLON_ExMarker
remote:/20100809_XLON_PriceTick => local:20100809_XLON_PriceTick
remote:/20100806_XLON_ExMarker => local:20100806_XLON_ExMarker
remote:/20100811_XLON_TradeType => local:20100811_XLON_TradeType
remote:/20100728_XLON_MMRegistration => local:20100728_XLON_MMRegistration
remote:/20100810_XLON_Calendar => local:20100810_XLON_Calendar
remote:/20100728_XLON_Session => local:20100728_XLON_Session
remote:/20100809_XLON_Participant => local:20100809_XLON_Participant
remote:/20100811_XLON_MMRegistration => local:20100811_XLON_MMRegistration
remote:/20100728_XLON_Trading => local:20100728_XLON_Trading
remote:/20100811_XLON_Calendar => local:20100811_XLON_Calendar
remote:/20100727_XLON_Calendar => local:20100727_XLON_Calendar
remote:/20100810_XLON_Instrument => local:20100810_XLON_Instrument
```

3.6 Automation

For automating authentication and reference data download from the CDS sFTP solution, the following can be used as an example for both UNIX and Windows.

Unix/Linux

Customers can use an 'expect' command within BASH – this can be found at the following link <http://www.manpagez.com/man/1/expect/>

Example script:

Example script:

```
#!/usr/bin/expect -f

spawn sftp client_username@sFTP_server
match_max 100000
expect "*?assword:*"
send -- "client_password\r"
```

```
expect "*sftp*"
send -- "get *XLON_Instrument.csv\r"
expect eof
```

Expect can also be used directly in C or C++

Windows

Customers can use an sFTP client like Winscp.

Example command line:

```
winscp.com /script=C:\connection_script.txt /log=C:\log.xml
```

Connection_script.txt example:

```
# Automatically answer all prompts negatively not to stall the script on errors
option batch on
# Disable overwrite confirmations that conflict with the previous
option confirm off

# Connect using client_username@sFTP_server
open client_username:client_password@sFTP_server
# Force binary mode transfer
option transfer binary

# Download file to the local directory D:\
get *XLON_Instrument.csv D:\somefolder

# Disconnect
close
# Exit WinSCP
exit
```


Copyright © August 2018 London Stock Exchange plc.
Registered in England and Wales No. 2075721.

London Stock Exchange plc has used all reasonable efforts to ensure that the information contained in this publication is correct at the time of going to press, but shall not be liable for decisions made in reliance on it.

London Stock Exchange and the coat of arms device are registered trade marks of London Stock Exchange plc.

London Stock Exchange

10 Paternoster Square
London EC4M 7LS
T: +44 (0)20 7797 1000
www.londonstockexchange.com



London
Stock Exchange